thermo scientific



HERAfreeze HDE Series -40°C Ultra-Low Temperature Freezers



- H-drive hydrocarbon refrigeration system provides sustainable performance with reliability you can count on
- Low peak variation helps ensure sample temperature protection throughout entire cabinet
- Fast door opening recovery in as little as 18 minutes
- Long warm-up time from -40°C to -20°C in up to 6 hours
- Three capacities: 400, 500 and 600 2-inch boxes
- Decrease storage footprint up to 25%
- 5-year standard warranty



Designed to keep your samples safe

- Worry-free storage; with low peak variation, samples are protected throughout the entire cabinet.¹
- Secure freezer settings with sample security
- Backed by our Global Service and Support Team

Limit environmental impact and lower HVAC costs

- Uses as low as 4.4 kWh/day, depending on size
- Less heat emission lowers HVAC costs
- Natural refrigerants compliant with EU F-Gas regulation: R290
- Environmentally-friendly, water-blown foam insulation
- Manufactured in an award-winning, zero-waste-to-landfill facility

User-friendly and quiet

- New HIC touch screen user interface
- Quiet enough to reside directly in the laboratory; at just 48 dBA, the sound is comparable to a home refrigerator.²

Typical freezer data based on internal testing with freezer setpoint at -80°C and ambient temperature at 20°C. Performance data varies across freezer size and electrical specifications.

Dependable storage with operational

savings and sustainability

User-friendly HIC interface and cabinet

- Easy to use: plug in and go; no setup required
- H-drive Information Center (HIC) combines easy-to-read temperature with simple capacitive touch buttons
- Advanced security features: alarm settings, setpoint security passcode, and padlock-compatible doors
- Egonomic design: single-hand door operation, eye-level display, and shelf-level placement that do not require floor-level loading of racks
- Five inner doors minimize ambient temperature during sample retrieval

Specifications & Ordering Information







ecular Get ogics Conne

Upright Freezers (-10°C to -40°C)

General	Сар	Capacity Amps / Breaker Max Shelf		Amma / Busakau May Shalf Juta		Interior Dimensions	Exterior Dimensions	Shipping
Purpose Model	Liters	Cryoboxes 5 cm	Electrical	(Plug type)	Weight kg	H x W x D cm	H x W* x D cm	Weight kg
HDE40040FD	549	400	208-230V/60Hz	3.4/15 (NEMA 6-15)	75	130.1 x 58.8 x 71.9	198.1 x 71.9 x 97.7	292
HDE40040FV		400	230V/50Hz	3.2/10 (European)	75	130.1 x 30.6 x 7 1.9	196.1 X / 1.9 X 9/./	292
HDE50040FD		500	208-230V/60Hz	4.0/15 (NEMA 6-15)	00	100 1 70 0 71 0	100 1 00 1 07 7**	004
HDE50040FV	682	500	230V/50Hz	3.4/10 (European)	93	130.1 x 73.0 x 71.9	198.1 x 86.4 x 97.7**	304
HDE60040FD	016	600	208-230V/60Hz	4.0/15 (NEMA 6-15)	111	100 1 4 07 0 4 71 0	100 1 v 100 6 v 07 7**	0.40
HDE60040FV	816	600	230V/50Hz	3.4/10 (European)	111	130.1 x 87.3 x 71.9	198.1 x 100.6 x 97.7**	348

^{*}Allowance for handle and hinge, add 10.7 cm to cabinet width

^{**}Doorway width clearance is 87.6 cm for HDE50086 and HDE60086



Performance Data

General Purpose Model	Energy Consumption* (kW-hr/day)	Peak Variation from -40°C Setpoint (°C)**	1-min Door Opening Recovery to -38.5°C (min)***	Warm-Up Time (-40°C to -20°C) (min)****	Sound (dBA)
HDE40040FD	4.4	+3.4 / -1.5	18	314	52
HDE40040FV	4.4	+3.2 / -1.6	19	309	51
HDE50040FD	5.1	+2.2 / -2.2	25	318	48
HDE50040FV	5.3	+1.8 / -2.2	22	328	51
HDE60040FD	5.9	+1.5 / -1.9	25	362	49
HDE60040FV	6.2	+1.7 / -1.9	29	339	48

^{*}Energy Consumption: Typical data - internal testing with freezer setpoint at -40°C and 20°C ambient temperature

^{**}Peak Variation from Setpoint: Typical data - internal testing with freezer setpoint at -40°C and 20°C ambient temperature

^{***}Door opening recovery: Typical data - internal recovery testing is to -38.5°C. During the door opening all inner and outer doors are opened for 60 seconds.

^{*****}Warm Up Time: Typical data - internal testing with empty freezer setpoint at -40°C and ambient temperature at 20°

For specific model performance data, please refer to the individual technical specification sheet for the desired model.

Options (Field installations must be performed by a qualified professional)

		For Model Series			
Description	Installation	HDE40040	HDE50040	HDE60040	
LN, Backup System	Factory	LN4567	LN4567	LN4567	
Maintains temperature down to -80°C with liquid nitrogen. Models for HDE30086 are stand alone.	Field	FLN456LED* FLN456LEV**	FLN456LED* FLN456LEV**	FLN456LED* FLN456LEV**	
CO, Backup System	Factory	CO4567	CO4567	CO4567	
Maintains temperature down to -67°C with CO ₂ .	Field	FCO456LED* FCO456LEV**	FCO456LED* FCO456LEV**	FCO456LED* FCO456LEV**	
Chart Recorder (Inkless) Seven-day inkless recoHDEr	Factory	N/A	CR4567	CR4567	
Range: -115° to +50°C (+5°C resolution) Dia.: 6" (15.2 cm)	Field	N/A	FCR500LE	FCR600LE	
Chart Recorder (Ink)	Factory	N/A	CRP4567	CRP4567	
Seven-day ink recorder Range: -100° to +38°C (+2°C resolution) Dia.: 6" (15.2 cm) Models for HDE40040 are stand alone.	Field	6383-6D* 6383-6V** 6383-6W***	FCRP500LE	FCRP600LE	
Stainless Steel Freezer Interior	Factory	SS34567	SS34567	SS34567	
Twist Lock Plug NEMA L6-15P for 208-230V/60Hz	Factory	US230V15ATL	US230V15ATL	US230V15ATL	
1 WISE EOUR 1 MY INCHINA CO-10F TOT 200-2007/0002	Field	TL230V15A	TL230V15A	TL230V15A	
Turist Look Blue NEMA LC 20D for 200 220V/CCL-	Factory	US230V20ATL	US230V20ATL	US230V20ATL	
Twist Lock Plug NEMA L6-20P for 208-230V/60Hz	Field	TL230V20A	TL230V20A	TL230V20A	

^{*} D = 208-230V/60Hz (NEMA 6-15 plug)

Accessories

		For Model Series	
Description	HDE40040	HDE50040	HDE60040
Air Filter (Replacement)	AF34567LE	AF34567LE	AF34567LE
Alarm Delay Module Eliminates nuisance alarms due to intermittent or transitory conditions. (The alarm conditions must exist for a user-defined period before the signal is broadcast.)	6903	6903	6903
Battery Backup (Replacement)	400159	400159	400159
Chart Paper, for Inkless Recorder, 50/Pack	N/A	6185	6185
Chart Paper, for Ink Recorder, 50/Pack	17020	17020	17020
Cryo Gloves, Medium	4425	4425	4425
Cryo Gloves, Large	4426	4426	4426
Seismic Restraint Kits	TF-ULT400	TF-ULT500	TF-ULT600
Shelf Kits: Include One Shelf and Clips	SK400	SK500	SK600

^{**}V = 230V/50Hz (European plug)

^{***}W = 230V/50Hz (UK plug)

Racks for Boxes and Microplates

Racks for 5 cm Boxes

Ostala a Na	December	Dimensions	Storage	For Model Series			
Catalog No.	Description	H x W x D cm	Capacities	HDE40040	HDE50040	HDE60040	
			Boxes/Rack	20	20	20	
398329	Sliding	24 x 14 x 68.3	Racks/Shelf	4	5	6	
398329	Drawer Rack		Racks/Freezer	20	25	30	
			Boxes/Freezer	400	500	600	
			Boxes/Rack	20	20	20	
1050540	Adjustable Side	23.9 x 13.7 x 67.9	Racks/Shelf	4	5	6	
1950518	Access Rack		Racks/Freezer	20	25	30	
Ass.			Boxes/Freezer	400	500	600	

Racks for 7.62 cm Boxes

Catalog No.	Description	Dimensions	Storage	For Model Series			
Catalog No.	Description	H x W x D cm	Capacities	HDE40040	HDE50040	HDE60040	
		24 x 14 x 68.3	Boxes/Rack	15	15	15	
398328	Sliding Drawer Rack		Racks/Shelf	4	5	6	
398328			Racks/Freezer	20	25	30	
			Boxes/Freezer	300	375	450	
			Boxes/Rack	15	15	15	
1050510	Adjustable Side	23.9 x 13.7 x 67.9	Racks/Shelf	4	5	6	
1950519	Access Rack for 3 in. boxes		Racks/Freezer	20	25	30	
And the second			Boxes/Freezer	300	375	450	

Racking Shelf Kits

	Storage Capacities	For Model Series			
Description	Otorago Gapacitico	HDE40040	HDE50040	HDE60040	
	Catalog No.	RSK400SD5	RSK500SD5	RSK600SD5	

Racks for Standard or Deepwell Microplates

Catalog No.		Barriera	Dimensions H x W x D cm	Storage	For Model Series			
		Description		Capacities	HDE40040	HDE50040	HDE60040	
				Plates/Rack	98	98	98	
	398322	Side Access	00.0 v 14 v 65.0	Racks/Shelf	4	5	6	
	390322	Rack with Locking Rod	23.9 x 14 x 65.3	Racks/Freezer	20	25	30	
Marinday tooler tooler Stock Thous Thous 2				Plates/Freezer	1960	2450	2940	
	1950522	Side Access Microplate Rack	23.9 x 14 x 64.8	Plates/Rack	77	77	77	
				Racks/Shelf	4	5	6	
				Racks/Freezer	20	25	30	
-				Plates/Freezer	1540	1925	2310	
				Plates/Rack	28	28	28	
		Sliding Drawer		Racks/Shelf	4	5	6	
-100	1950639	Microplate Rack	23.9 x 14 x 65.3	Racks/Freezer	20	25	30	
				Plates/Freezer	560	700	840	

Catalog No.	Description	# of Dividers	Quantity	Color
5026-0909	Thermo Scientific™ Nalgene™ polycarbonate 5.08cm box for 1.2 to 2 mL vials	81	24/Case	White
5954	5.08 cm Fiberboard Box	0	12/Pack	White
820002	5.08 cm Fiberboard Box	81	1	White
820109	5.08 cm Fiberboard Box	100	1	White
5956	7.62 cm Fiberboard Box	0	12/Pack	White
820003	7.62 cm Fiberboard Box	81	1	White
1950878	5.08 cm Fiberboard Box	0	12/Pack	Multiple
1950879	5.08 cm Fiberboard Box	0	12/Pack	Pink
1950880	5.08 cm Fiberboard Box	0	12/Pack	Red
1950881	5.08 cm Fiberboard Box	0	12/Pack	Yellow
1950882	5.08 cm Fiberboard Box	0	12/Pack	Green
1950883	5.08 cm Fiberboard Box	0	12/Pack	Blue
1950884	5.08 cm Fiberboard Box	0	12/Pack	Black

Fiberboard Dividers

Catalog No.	Description	Quantity/Pack
5958	Grid Dividers, Hold 100 x 12 mm Tubes/Vials	12
6212	Grid Dividers, Hold 81 x 13 mm Tubes/Vials	12
5960	Grid Dividers, Hold 64 x 14 mm Tubes/Vials	12
5959	Grid Dividers, Hold 49 x 16 mm Tubes/Vials	12

Catalog No.	Description	Quantity
377267	Thermo Scientific™ Nunc™ 1.8 mL Screw-Top Round-Bottom Vials with Internal Threading	1,800/Case

Racks work with all Thermo Scientific™ Matrix™ and Nunc™ Cryobank Tubes

		For Model Series	HDE40040	HDE50040	HDE60040
200 μL Ca	pacity Tubes				
		Rack Model No.	1950786	1950786	1950786
0747	Matrix 200 µL 2D	Freezer Rack Dimensions W x H x D	14 x 24 x 68.5 cm	14 x 24 x 68.5 cm	14 x 24 x 68.5 cm
3747, 3748,	Internally Threaded Universal Tubes	Tubes/Box	96	96	96
4988	Box Dimensions:	Boxes/Rack	42	42	42
	8.5 x 12.8 x 2.75 cm	Racks/Shelf	4	5	6
		Racks/Freezer	20	25	30
		Tubes/Freezer	80,640	100,800	120,960
500 μL Ca	pacity Tubes				
		Rack Model No.	1950786	1950786	1950786
3734, 3735, 4898	Matrix 500 μL 2D Open Top Tubes Box Dimensions: 8.5 x 12.8 x 2.6 cm	Freezer Rack Dimensions W x H x D	14 x 24 x 68.5 cm	14 x 24 x 68.5 cm	14 x 24 x 68.5 cm
3736, 3737,	Matrix 200 µL 2D Internally Threaded Universal Tubes with Installed DuraSeal™ Seal	Tubes/Box	96	96	96
4899	Box Dimensions: 8.5 x 12.8 x 2.75 cm	Boxes/Rack	42	42	42
374086,	Nunc Cryobank	Racks/Shelf	4	5	6
374087 (including	500 μL Internally Threaded Tubes	Racks/Freezer	20	25	30
color options)	Box Dimensions: 8.5 x 12.8 x 3.5 cm	Tubes/Freezer	80,640	100,800	120,960
		Rack Model No.	1950639	1950639	1950639
3743,	Matrix 500 μL 2D	Freezer Rack Dimensions W x H x D	14 x 24 x 68.5 cm	14 x 24 x 68.5 cm	14 x 24 x 68.5 cm
3744, 3745	Internally Threaded ScrewTop Tubes	Tubes/Box	96	96	96
(including color	Box Dimensions: 8.5 x 12.8 x 4.4 cm	Boxes/Rack	28	28	28
options)	0.0 X 12.0 X 4.4 OIII	Racks/Shelf	4	5	6
		Racks/Freezer	20	25	30
		Tubes/Freezer	53,760	67,200	80,640

Racks work with all Thermo Scientific™ Matrix™ and Nunc™ Cryobank Tubes

		For Model Series	HDE40040	HDE50040	HDE60040
750 μL Cap	pacity Tubes				
		Rack Model No.	1950639	1950639	1950639
3731, 3732, 4896	Matrix 750 µL 2D Open Top Tubes Box Dimensions: 8.5 x 12.8 x 3.9 cm	Freezer Rack Dimensions W x H x D	14 x 24 x 68.5 cm	14 x 24 x 68.5 cm	14 x 24 x 68.5 cm
3729, 4896	Matrix 750 µL 2D Tubes with Installed DuraSeal Seal Box Dimensions: 8.5 x 12.8 x 3.9 cm	Tubes/Box	96	96	96
		Boxes/Rack	28	28	28
		Racks/Shelf	4	5	6
		Racks/Freezer	20	25	30
		Tubes/Freezer	53,760	67,200	80,640
1 mL Capa	acity Tubes				
	Nunc Cryobank 1 mL Internally Threaded Tubes Box Dimensions: 8.5 x 12.8 x 4.9 cm	Rack Model No.	1950639	1950639	1950639
374088, 374089 (including		Freezer Rack Dimensions W x H x D	14 x 24 x 68.5 cm	14 x 24 x 68.5 cm	14 x 24 x 68.5 cm
		Tubes/Box	96	96	96
color		Boxes/Rack	28	28	28
options)		Racks/Shelf	4	5	6
		Racks/Freezer	20	25	30
		Tubes/Freezer	53,760	67,200	80,640
	Matrix 1 mL 2D Internally Threaded Screw Top Tubes Box Dimensions: 8.5 x 12.8 x 5.8 cm	Rack Model No.	1950798	1950798	1950798
3740,		Freezer Rack Dimensions W x H x D	14 x 24 x 68.5 cm	14 x 24 x 68.5 cm	14 x 24 x 68.5 cm
3741, 3742		Tubes/Box	96	96	96
(including color		Boxes/Rack	21	21	21
options)		Racks/Shelf	4	5	6
		Racks/Freezer	20	25	30
		Tubes/Freezer	40,320	50,400	60,480

thermo scientific

Sliding Drawer Racks for Matrix and Cryobank Tubes

Racks work with all Thermo Scientific™ Matrix™ and Nunc™ Cryobank Tubes

		For Model Series	HDE40040	HDE50040	HDE60040
1.4 mL Car	pacity Tubes				
		Rack Model No.	1950639	1950639	1950639
3791, 3792, 4890	Matrix 1.4 mL 2D Open Top Tubes Box Dimensions: 8.5 x 12.8 x 4.9 cm	Freezer Rack Dimensions W x H x D	14 x 24 x 68.5 cm	14 x 24 x 68.5 cm	14 x 24 x 68.5 cm
3801, 4890	Matrix 1.4 mL 2D Tubes with Installed DuraSeal Seal Box Dimensions: 8.5 x 12.8 x 4.9 cm	Tubes/Box	96	96	96
		Boxes/Rack	28	28	28
3711, 3112, 4890	Thermo Scientific Matrix 1.4 mL Human Readable Open Top Tubes Box Dimensions: 8.5 x 12.8 x 4.9 cm	Racks/Shelf	4	5	6
		Racks/Freezer	20	25	30
		Tubes/Freezer	53,760	67,200	80,640
1.8 to 2 mL	L Capacity Tubes				
	Nunc 1.8 mL Externally Threaded Universal Tubes Box Dimensions: 8.5 x 12.8 x 5.5 cm	Rack Model No.	1950639	1950639	1950639
374500, 374501		Freezer Rack Dimensions W x H x D	14 x 24 x 68.5 cm	14 x 24 x 68.5 cm	14 x 24 x 68.5 cm
374221, 374223	Nunc Cryobank 2 mL Internally Threaded Tubes Box Dimension: 8.5 x 12.8 x 5.5 cm	Tubes/Box	48	48	48
		Boxes/Rack	28	28	28
		Racks/Shelf	4	5	6
01 4220		Racks/Freezer	20	25	30
					10.000
		Tubes/Freezer	26,880	33,600	40,320
5 mL Cap	acity Tubes	Tubes/Freezer	26,880	33,600	40,320
5 mL Cap	acity Tubes	Tubes/Freezer Rack Model No.	26,880 1950818	33,600 1950818	40,320 1950818
5 mL Cap					
	Nunc Cryobank 5 mL Internally	Rack Model No. Freezer Rack Dimensions	1950818	1950818	1950818
374220, 374222	Nunc Cryobank	Rack Model No. Freezer Rack Dimensions W x H x D	1950818 14 x 24 x 68.5 cm	1950818 14 x 24 x 68.5 cm	1950818 14 x 24 x 68.5 cm
374220,	Nunc Cryobank 5 mL Internally Threaded Tubes	Rack Model No. Freezer Rack Dimensions W x H x D Tubes/Box	1950818 14 x 24 x 68.5 cm 48	1950818 14 x 24 x 68.5 cm 48	1950818 14 x 24 x 68.5 cm 48
374220,	Nunc Cryobank 5 mL Internally Threaded Tubes Box Dimensions:	Rack Model No. Freezer Rack Dimensions W x H x D Tubes/Box Boxes/Rack	1950818 14 x 24 x 68.5 cm 48 14	1950818 14 x 24 x 68.5 cm 48 14	1950818 14 x 24 x 68.5 cm 48 14



